Index

IEE Proceedings
Electric Power Applications
Vol. 145, 1998

Author Index

A

Acarnley, P.P. p169
Agelidis, V.G. p73
Akmese, R. p133
Alexandridis, A.T. p217
Allan, J. p351
Atkinson, D.J. p92, p153, p169, p441

B

Baek, J.W. p25
Baha, B. p159
Baik, I.-C. p369
Balan, A. p455
Barbosa, P.G. p577
Barnes, M. p164
Barrass, P.G. p519
Beckley, P. p409
Bernot, F. p185
Berthon, A. p185
Besbes, M. p462
Bianchi, N. p475
Blundell, R. p553
Bolognani, S. p475
Boys, J.T. p1, p326

C

Camus, F. p462
Cargill, S.M. p469
Chakravarthy, S.K. p585
Chalmers, B.J. p133
Chang, C.S. p49, p266
Chao, K.H. p98
Chen, C.-L. p345, p387
Chen, C.Z. p125
Chen, H.C. p98
Chen, J.Y. p125
Chen, Y.K. p98
Chen, Z. p273, p497
Chiang, S.J. p559
Cho, D.-H. p199
Cho, J.G. p25
Cortizo, P.C. p333
Covic, G.A. p1, p326
Craig, L.M. p140

D

Dai, X. p339
de Menezes, B.R. p333
Demeter, E. p435
Dessouky, Y.G. p57
Donoso-Garcia, P.F. p333
Du, D. p266
Dunnigan, M.W. p231

E

Eastham, J.F. p435, p600
Edwards, D.G. p469
Egan, M.G. p17
Evans, P.D. p593

F

Finch, J.W. p169
Fletcher, J.E. p57
Flinders, F. p377
Forsyth, A.J. p301
Friedrich, G. p247

G

Gabsi, M. p462
Gair, S. p600
Ghazanfari, S.J. p351
Godfroid, H. p360
Goh, H.C. p73

H

Hamada, S. p79
Hay, N. p429
Haylock, J.A. p441
He, D. p339
Higaki, T. p119
Honda, Y. p119
Hong, Y.-Y. p261
Hopper, E. p409
Howe, D. p61, p509
Hredzak, B. p600
Hughes, A. p11, p449
Hwang, W.-J. p105

I

Ioannidis, G. p33, p39
Ionel, D.M. p435
Iracleous, D.P. p217
Ishibashi, F. p528
Ivanov, I. p147

J

Jack, A.G. p92, p153, p441
Jenkins, N. p140
Jewell, G.W. p61, p509

K

Kandianis, A. p39
Kant, M. p247
Kauffmann, J.M. p185, p360
Kim, J.-H. p295
Kim, K.-H. p369
Kim, K.-J. p199
Knights, D. p351
Ko, J.S. p383
Konishi, Y. p535
Krishna, V. p607
Kupka, L. p553
Kwon, B.-H. p85, p295

L

Lampard, D. p423, p429
Layland, N.J. p409
Lecomte, T. p185
Lee, T.S. p559
Levi, E. p206
Liaw, C.M. p98
Liew, A.C. p49
Lin, C.-S. p345
Lin, F.-J. p105, p111, p223
Liu, Y.-H. p387
Lovatt, H.C. p402
Luo, F. p239
Luo, F.L. p315

M

Manias, S.N. p33, p39
Mathew, R. p377
McClay, C.I. p414
Mecrow, B.C. p402, p441, p519
Meinhardt, M. p569
Miller, T.J.E. p435
Min, B.-D. p85, p295
Mirzaian, A. p360
Miyazato, H. p180
Mochizuki, M. p528
Mollov, S.V. p301
Morel, L. p360
Morimoto, S. p119
Moynihan, J.F. p17
Mugglestone, J. p423
Murphy, J.M.D. p17
Musaba, L. p133
Mutschler, P. p569

N

Nakaoka, M. p79, p535
Nedelchev, N. p147
Noda, S. p528
Norris, W.T. p497

O

Oghanna, W. p377
Okazaki, T. p593
Ong, N. p607

P

Pan, C.-T. p544
Payne, K. p351
Peters, G.L. p326
Pickering, S.J. p423, p429
Picod, C. p462
Pollock, C. p164
Power, D. p409

R

Ramesh, V.C. p607
Ramsden, V.S. p402
Rim, G.H. p25
Roylance, T.F. p429

S

Saad-Saoud, Z. p140, p393
Santisteban, J.A. p577
Senjyu, T. p180
Severo Mendes, M.A. p333
Shepherd, W. p284
Shieh, H.-J. p111
Shieh, J.-J. p544
Shyu, K.-K. p111
Slater, H.J. p92, p153
Sloan, C. p449
Spiteri, S. p553
Spooner, E. p273, p485, p497
Stephenson, J.M. p11, p449
Strahan, R.J. p193
Suryawanshi, H.M. p307

T

Tai, T.L. p559
Takeda, Y. p119
Tarnekar, S.G. p307
Tzeng, Y.-S. p253

U

Uezato, K. p180

V

Verma, S.P. p455

W

Wade, S. p231
Wai, R.-J. p105
Wai, R.J. p223
Wang, F.-M. p261
Wang, J. p61, p509
Wang, M.-D. p261
Wang, W. p49, p509
Watanabe, E.H. p577
Watthanasarn, C. p284
Wen, F.S. p49
Williams, B.W. p57, p231
Williamson, A.C. p393, p485, p497
Williamson, S. p414
Won, C.Y. p25

X

Xanthoulis, E. p33
Xu, Y. p339

Y

Yokoda, S. p180
Yoo, D.W. p25
York, M. p11
Youn, M.-J. p369
Yu, X. p231

Z

Zhang, J. p377
Zhang, L. p284

ADAPTIVE CONTROL

Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180

AEROSPACE SYSTEMS

Operation of a fault tolerant PM drive for an aerospace fuel pump application p441

CIRCUIT THEORY AND DESIGN

Resonant converter in high power factor, high voltage DC applications p307

CLOSED LOOP SYSTEMS

Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Novel control design for the buck converter p39
Real-time emulation for power equipment development. II. The virtual machine p153

COMPUTER APPLICATIONS

Dynamic modelling and control of a normal-force actuator p449
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Multiple-page-mapping backpropagation neural network for constant tension control p239
Resonant converter in high power factor, high voltage DC applications p307
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
ROM-based current controller for three-phase boost-type AC/DC converter p544

CONTROL SYSTEMS ANALYSIS

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Analysis and comparison of control techniques for AC-AC matrix converters p284
Dynamic modelling and control of a normal-force actuator p449
Flux and torque control of switched reluctance machines p519
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Novel control design for the buck converter p39
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
ROM-based current controller for three-phase boost-type AC/DC converter p544
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

CONTROL SYSTEM SYNTHESIS

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Flux and torque control of switched reluctance machines p519
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Novel control design for the buck converter p39
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
ROM-based current controller for three-phase boost-type AC/DC converter p544
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

CONVERTORS

AC-DC converter with unity power factor and minimum harmonic content of line current: design considerations p553
Analysis and comparison of control techniques for AC-AC matrix converters p284
Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Competitive hysteresis controllers–a control concept for inverters having oscillating DC- and AC-side state variables p569
Current-fed three-phase converter with optimum PWM scheme and its practical input line filter design p535
Double-fed induction machine: converter optimisation and field oriented control without position sensor p360
Eliminating output distortion in four-switch inverters with three-phase loads p326
Grid interface options for variable-speed, permanent-magnet generators p273
Harmonic analysis of parallel-connected 12-pulse uncontrolled rectifier without an interphase transformer p253
Low-distortion variable-level PWM technique p73
Modelling of resonant switched-mode converters using SIMULINK p159
New class of dual voltage converters for switched reluctance drives p164
Noise quieting with random PWM AC drives p1
Novel commutation technique of AC-AC converters p295
Novel control design for the buck converter p39
Novel passive rectifier with low THD based on harmonic injecting and counteracting principle p339
Novel PWM line conditioner with fast output voltage control p85
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
Optimal nonlinear firing angle control of converter-fed DC drive systems p217
Re-lift converter: design, test, simulation and stability analysis p315
Real-time emulation for power equipment development. I. Real-time simulation p92
Real-time emulation for power equipment development. II. The virtual machine p153
Resonant converter in high power factor, high voltage DC applications p307
ROM-based current controller for three-phase boost-type AC/DC converter p544
Saturable reactor-assisted soft-switching asymmetrical PWM DC-DC converter with high-frequency transformer link p79
Shunt-series active power filter for rectifiers AC and DC sides p577
Simple equivalent circuit for the series-loaded resonant converter with voltage boosting capacitor p301
Single-switch soft-switching electronic ballast with high input power factor p345
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333
Theoretical spectra of space-vector-modulated waveforms p17
Variable structure control of UPS inverters p559
Zero-voltage-switching three-level auxiliary resonant commutated pole inverter for high-power applications p25

DIELECTRIC MATERIALS AND DEVICES

Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180

DIGITAL ELECTRONICS

Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
ROM-based current controller for three-phase boost-type AC/DC converter p544

ELECTROMAGNETIC INTERFERENCE

Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Saturable reactor-assisted soft-switching asymmetrical PWM DC-DC converter with high-frequency transformer link p79

ELECTROMAGNETIC THEORY

Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Saturable reactor-assisted soft-switching asymmetrical PWM DC-DC converter with high-frequency transformer link p79

ELECTROMAGNETISM

Design and experimental characterisation of a linear reciprocating generator p509
Electronically-operated, linear, variable-reluctance, integrating, reversible actuator (ELVIRA)–a novel, low-cost, normal-force, tilting friction drive p11
Experimental validation of 5 kN model electromagnetic vibration damper and design of a real-size 120 kN machine p185
Flux and torque control of switched reluctance machines p519
Numerical simulation of electromagnetic vibration of small induction motors p528
Saturable reactor-assisted soft-switching asymmetrical PWM DC-DC converter with high-frequency transformer link p79

ELECTRIC VARIABLES CONTROL

Analysis and comparison of control techniques for AC-AC matrix converters p284
Analysis, design and control of a novel spherical permanent-magnet actuator p61
Competitive hysteresis controllers–a control concept for inverters having oscillating DC- and AC-side state variables p569
Flux and torque control of switched reluctance machines p519
Novel control design for the buck converter p39
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
ROM-based current controller for three-phase boost-type AC/DC converter p544
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333
Variable structure control of UPS inverters p559

ENERGY CONVERSION

Design of an in-wheel motor for a solar-powered electric vehicle p402

EXPERT SYSTEMS

Hybrid controller using a neural network for a PM synchronous servo-motor drive p223

FEEDBACK

Optimal nonlinear firing angle control of converter-fed DC drive systems p217
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98

FILTERS AND FILTERING

Shunt-series active power filter for rectifiers AC and DC sides p577

GENERATORS

AC-DC converter with unity power factor and minimum harmonic content of line current: design considerations p553
Analysis, design and control of a novel spherical permanent-magnet actuator p61
Asymptotically stable adaptive load torque observer for precision position control of BLDC motor p383
Capacitor-assisted excitation of permanent-magnet generators p497
Choice of drives for electric vehicles: a comparison between two permanent magnet AC machines p247
Control of an EV drive with reduced unsprung mass p600
Corona screen effectiveness in large machines under high voltage, high frequency transient conditions p469

Design and experimental characterisation of a linear reciprocating generator p509
Design of an in-wheel motor for a solar-powered electric vehicle p402
Design optimisation of electric motors by genetic algorithms p475
Dynamic modelling and control of a normal-force actuator p449
Electronically-operated, linear, variable-reluctance, integrating, reversible actuator (ELVIRA)–a novel, low-cost, normal-force, tilting friction drive p11
Energy conversion by nonlinear permanent magnet machines p193
Experimental validation of 5 kN model electromagnetic vibration damper and design of a real-size 120 kN machine p185
Grid interface options for variable-speed, permanent-magnet generators p273
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Investigation of a new AC electrical machine winding p125
Multiple-page-mapping backpropagation neural network for constant tension control p239
Noise quieting with random PWM AC drives p1
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
Optimal nonlinear firing angle control of converter-fed DC drive systems p217
Parasitic losses in modular permanent-magnet generators p485
Real-time emulation for power equipment development. II. The virtual machine p153
Simulator of DC traction motors including both main pole and interpole saturation p377
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

INDUCTION MOTORS

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Double-fed induction machine: converter optimisation and field oriented control without position sensor p360
Effects of end winding porosity upon the flow field and ventilation losses in the end region of TEFC induction machines p423
Electrodynamic braking of wind turbines p140
Eliminating output distortion in four-switch inverters with three-phase loads p326
Experimental investigations on the stators of electrical machines in relation to vibration and noise problems p455
Full-order estimator for induction motor states and parameters p169
Heat transfer in a through-ventilated induction motor p429
Influence of rotor skew on cage motor losses p414
Modelling of electromagnetic excitation forces of small induction motor for vibration and noise analysis p199
Novel dead time compensation method for induction motor drives using space vector modulation p387
Numerical simulation of electromagnetic vibration of small induction motors p528
Position control of a vector controlled induction machine using Slotine's sliding mode control approach p231
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
Real-time emulation for power equipment development. I. Real-time simulation p92
Simulation of electromagnetic drive systems using graph theory p393

INSULATED GATE FIELD EFFECT TRANSISTORS

Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Novel PWM line conditioner with fast output voltage control p85

INSULATORS AND INSULATION

Impact of surface coating insulation on small motor performance p409

INTERFERENCE SUPPRESSION

Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Saturable reactor-assisted soft-switching asymmetrical PWM DC-DC converter with high-frequency transformer link p79

MAGNETIC MATERIALS AND DEVICES

Dynamic modelling and control of a normal-force actuator p449

MATHEMATICAL TECHNIQUES

Bicriterion optimisation for traction substations in mass rapid transit systems using genetic algorithm p49
Design optimisation of electric motors by genetic algorithms p475
Harmonic analysis of parallel-connected 12-pulse uncontrolled rectifier without an interphase transformer p253
Improved optimisation method using genetic algorithms for mass transit signalling block-layout design p266
Investigation of a new AC electrical machine winding p125
Low-distortion variable-level PWM technique p73
Numerical simulation of electromagnetic vibration of small induction motors p528
Optimisation approach to power restoration in steel mills p607
Rotor design optimisation of a multi-layer interior permanent-magnet synchronous motor p119
Simulation of electromagnetic drive systems using graph theory p393
Theoretical spectra of space-vector-modulated waveforms p17

MEASUREMENT OF SPECIFIC VARIABLES

Heat transfer in a through-ventilated induction motor p429
Parasitic losses in modular permanent-magnet generators p485
Toroidal inductively coupled superconducting fault current limiter with interleaved windings p593

MULTIVARIABLE CONTROL SYSTEMS

Control of an EV drive with reduced unsprung mass p600
Novel control design for the buck converter p39
Position control of a vector controlled induction machine using Slotine's sliding mode control approach p231
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333
Variable structure control of UPS inverters p559

NEURAL NETS

Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Multiple-page-mapping backpropagation neural network for constant tension control p239
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

NONELECTRIC VARIABLES CONTROL

Analysis, design and control of a novel spherical permanent-magnet actuator p61
Asymptotically stable adaptive load torque observer for precision position control of BLDC motor p383
Control of an EV drive with reduced unsprung mass p600
Electrodynamic braking of wind turbines p140
Experimental validation of 5 kN model electromagnetic vibration damper and design of a real-size 120 kN machine p185
Flux and torque control of switched reluctance machines p519
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Multiple-page-mapping backpropagation neural network for constant tension control p239
Position control of a vector controlled induction machine using Slotine's sliding mode control approach p231
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180

NONLINEAR CONTROL SYSTEMS

Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369

NUMERICAL ANALYSIS

Design and experimental characterisation of a linear reciprocating generator p509
Design considerations for permanent magnet synchronous motors for flux weakening applications p435
Design optimisation of electric motors by genetic algorithms p475
Electronically-operated, linear, variable-reluctance, integrating, reversible actuator (ELVIRA)–a novel, low-cost, normal-force, tilting friction drive p11
Impact of high-speed railway loads on a longitudinal power system p261
Influence of rotor skew on cage motor losses p414
Numerical simulation of electromagnetic vibration of small induction motors p528
Simple equivalent circuit for the series-loaded resonant converter with voltage boosting capacitor p301
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180

OPTIMAL CONTROL

Dynamic modelling and control of a normal-force actuator p449
Optimal nonlinear firing angle control of converter-fed DC drive systems p217

OPTIMISATION

Rotor design optimisation of a multi-layer interior permanent-magnet synchronous motor p119

PARAMETER ESTIMATION

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Full-order estimator for induction motor states and parameters p169
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369

POWER ELECTRONICS

Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Novel commutation technique of AC-AC converters p295
Novel PWM line conditioner with fast output voltage control p85

POWER ENGINEERING COMPUTING

Dynamic modelling and control of a normal-force actuator p449
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Modelling of resonant switched-mode converters using SIMULINK p159
Real-time emulation for power equipment development. I. Real-time simulation p92
Resonant converter in high power factor, high voltage DC applications p307
ROM-based current controller for three-phase boost-type AC/DC converter p544
Simulator of DC traction motors including both main pole and interpole saturation p377

POWER SYSTEM CONTROL

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Analysis and comparison of control techniques for AC-AC matrix converters p284
Analysis, design and control of a novel spherical permanent-magnet actuator p61
Asymptotically stable adaptive load torque observer for precision position control of BLDC motor p383
Competitive hysteresis controllers–a control concept for inverters having oscillating DC- and AC-side state variables p569
Control of an EV drive with reduced unsprung mass p600
Double-fed induction machine: converter optimisation and field oriented control without position sensor p360
Dynamic modelling and control of a normal-force actuator p449
Electrodynamic braking of wind turbines p140
Experimental validation of 5 kN model electromagnetic vibration damper and design of a real-size 120 kN machine p185
Flux and torque control of switched reluctance machines p519
Full-order estimator for induction motor states and parameters p169
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Multiple-page-mapping backpropagation neural network for constant tension control p239
Novel control design for the buck converter p39
Novel dead time compensation method for induction motor drives using space vector modulation p387
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
Optimal nonlinear firing angle control of converter-fed DC drive systems p217
Position control of a vector controlled induction machine using Slotine's sliding mode control approach p231
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
Real-time emulation for power equipment development. II. The virtual machine p153
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
ROM-based current controller for three-phase boost-type AC/DC converter p544
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105
Variable structure control of UPS inverters p559

POWER SYSTEM MANAGEMENT

Grid interface options for variable-speed, permanent-magnet generators p273
Optimisation approach to power restoration in steel mills p607

POWER SYSTEM PROTECTION

Dead-earthing influence on track-circuit shunt sensitivity p147
Toroidal inductively coupled superconducting fault current limiter with interleaved windings p593

POWER SYSTEMS AND APPLICATIONS

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Bicriterion optimisation for traction substations in mass rapid transit systems using genetic algorithm p49
Choice of drives for electric vehicles: a comparison between two permanent magnet AC machines p247
Control of an EV drive with reduced unsprung mass p600
Dead-earthing influence on track-circuit shunt sensitivity p147
Design of an in-wheel motor for a solar-powered electric vehicle p402
Double-fed induction machine: converter optimisation and field oriented control without position sensor p360
Electronically-operated, linear, variable-reluctance, integrating, reversible actuator (ELVIRA)–a novel, low-cost, normal-force, tilting friction drive p11
Flux and torque control of switched reluctance machines p519
Full-order estimator for induction motor states and parameters p169
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Impact of high-speed railway loads on a longitudinal power system p261
Improved optimisation method using genetic algorithms for mass transit signalling block-layout design p266
New class of dual voltage converters for switched reluctance drives p164
Noise quieting with random PWM AC drives p1
Novel dead time compensation method for induction motor drives using space vector modulation p387
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
Optimal nonlinear firing angle control of converter-fed DC drive systems p217
Optimisation approach to power restoration in steel mills p607
Optimisation of AC feeder topology for a DC supplied rapid-transit railway p351
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
Real-time emulation for power equipment development. I. Real-time simulation p92
Simulation of electromagnetic drive systems using graph theory p393
Simulator of DC traction motors including both main pole and interpole saturation p377
Single-switch soft-switching electronic ballast with high input power factor p345
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

POWER SYSTEMS AND PLANTS

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Analysis, design and control of a novel spherical permanent-magnet actuator p61
Bicriterion optimisation for traction substations in mass rapid transit systems using genetic algorithm p49
Capacitor-assisted excitation of permanent-magnet generators p497
Choice of drives for electric vehicles: a comparison between two permanent magnet AC machines p247
Control of an EV drive with reduced unsprung mass p600
Current-fed three-phase converter with optimum PWM scheme and its practical input line filter design p535
Dead-earthing influence on track-circuit shunt sensitivity p147
Design of an in-wheel motor for a solar-powered electric vehicle p402
Double-fed induction machine: converter optimisation and field oriented control without position sensor p360
Electrodynamic braking of wind turbines p140
Electronically-operated, linear, variable-reluctance, integrating, reversible actuator (ELVIRA)–a novel, low-cost, normal-force, tilting friction drive p11
Flux and torque control of switched reluctance machines p519
Full-order estimator for induction motor states and parameters p169
Grid interface options for variable-speed, permanent-magnet generators p273
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Impact of high-speed railway loads on a longitudinal power system p261
Improved optimisation method using genetic algorithms for mass transit signalling block-layout design p266
New class of dual voltage converters for switched reluctance drives p164
Noise quieting with random PWM AC drives p1
Nonlinear oscillations due to spurious energisation of transformers p585
Novel dead time compensation method for induction motor drives using space vector modulation p387
Novel PWM line conditioner with fast output voltage control p85
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
Optimal nonlinear firing angle control of converter-fed DC drive systems p217
Optimisation of AC feeder topology for a DC supplied rapid-transit railway p351
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
Re-lift converter: design, test, simulation and stability analysis p315
Real-time emulation for power equipment development. I. Real-time simulation p92
Simulation of electromagnetic drive systems using graph theory p393
Simulator of DC traction motors including both main pole and interpole saturation p377
Single-switch soft-switching electronic ballast with high input power factor p345
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

POWER TRANSMISSION AND DISTRIBUTION

Current-fed three-phase converter with optimum PWM scheme and its practical input line filter design p535
Novel PWM line conditioner with fast output voltage control p85
Optimisation of AC feeder topology for a DC supplied rapid-transit railway p351

PRODUCTION ENGINEERING

Electrodynamic braking of wind turbines p140
Impact of surface coating insulation on small motor performance p409
Multiple-page-mapping backpropagation neural network for constant tension control p239
Operation of a fault tolerant PM drive for an aerospace fuel pump application p441
Optimisation approach to power restoration in steel mills p607

SELF-ADJUSTING SYSTEMS

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Asymptotically stable adaptive load torque observer for precision position control of BLDC motor p383
Quantitative design and implementation of PI-D controller with model-following response for motor drive p98
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
Speed control of ultrasonic motors by adaptive control with a simplified mathematical model p180
Ultrasonic motor servo-drive with online trained neural-network model-following controller p105

SEMICONDUCTOR DEVICES AND MATERIALS

Analysis and design of a novel fixed-frequency buck-boost zero-current zero-voltage switched converter p33
Novel commutation technique of AC-AC converters p295
Novel PWM line conditioner with fast output voltage control p85

SIGNAL PROCESSING

Full-order estimator for induction motor states and parameters p169

SIMULATION, MODELLING AND IDENTIFICATION

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Asymptotically stable adaptive load torque observer for precision position control of BLDC motor p383
Full-order estimator for induction motor states and parameters p169
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369

SONICS AND ULTRASONICS

Influence of stator geometry upon vibratory behaviour and electromagnetic performances of switched reluctance motors p462
Noise quieting with random PWM AC drives p1

STABILITY

Adaptive estimation of rotor time constant for indirect field-oriented induction motor drive p111
Analysis, design and control of a novel spherical permanent-magnet actuator p61
Asymptotically stable adaptive load torque observer for precision position control of BLDC motor p383

Position control of a vector controlled induction machine using Slotine's sliding mode control approach p231
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
Sliding-mode control for current distribution in parallel-connected DC-DC converters p333

SUPERCONDUCTING MATERIALS AND DEVICES

Toroidal inductively coupled superconducting fault current limiter with interleaved windings p593

SYNCHRONOUS MACHINES

Cooling enhancement of electric motors p57
Design and field-weakening performance of permanent-magnet/reluctance motor with two-part rotor p133
Design considerations for permanent magnet synchronous motors for flux weakening applications p435
Electronically-operated, linear, variable-reluctance, integrating, reversible actuator (ELVIRA)–a novel, low-cost, normal-force, tilting friction drive p11
Flux and torque control of switched reluctance machines p519
Hybrid controller using a neural network for a PM synchronous servo-motor drive p223
Influence of stator geometry upon vibratory behaviour and electromagnetic performances of switched reluctance motors p462
New class of dual voltage converters for switched reluctance drives p164
Robust nonlinear speed control of PM synchronous motor using adaptive and sliding mode control techniques p369
Rotor design optimisation of a multi-layer interior permanent-magnet synchronous motor p119
Simulation of electromagnetic drive systems using graph theory p393
State-space d-q axis models of saturated salient pole synchronous machines p206

TRANSFORMERS

Competitive hysteresis controllers–a control concept for inverters having oscillating DC- and AC-side state variables p569
Nonlinear oscillations due to spurious energisation of transformers p585
Resonant converter in high power factor, high voltage DC applications p307